



Category: Air Compressor
UPC: 743369720140

2.0 Gallon
1 HP Motor
120 PSI MAX
2.2 CFM @90PSI
60 Decibels




SPECIFICATION SHEET

Model: 2010A

PRODUCT OVERVIEW

The CALIFORNIA AIR TOOLS 2010A **Ultra Quiet** & Oil-Free Air Compressor is designed to be one of the quietest air compressors in the industry having only 60 decibels of sound.




FEATURES

- The powerful 1.0 HP motor operates at only 1680 RPM creating less noise and less wear.
- The 2.0 Gallon Aluminum (Rust-Free) Air Tank is Lightweight (35 lbs) and very easy to transport.
- The **Ultra Quiet** Air Compressor Motor have been designed to increase duty cycle and allow for longer continuous run times.
- The Oil-Free pump allows for use in a variety of temperatures and uneven terrains.

SPECIFICATIONS AND PERFORMANCE



ULTRA QUIET & OIL-FREE, LIGHTWEIGHT AIR COMPRESSOR



BENEFITS

The CAT-2010A Air Compressor has a Oil-Free Dual Piston pump designed to have a life cycle before wear of 3000 Plus hours compared to other comparable air compressors with life cycles of 500 hours or less. The Oil-Free pump allows for use in a variety of temperatures and uneven terrains.

The 2.0 Gallon Aluminum (Rust-Free) Air Tank is Lightweight (35 lbs) and very easy to transport.

This air compressor is ideal for anyone working inside where noise is a major issue. Only 60 dB noise level.

SPECIFICATIONS

Specification	Details
Material	Aluminum
Color	Silver
Weight	34 Pounds
Height	14.75 inches
Item Dimensions L x W x H	18.7"L x 14.2"W x 14.75"H
Capacity	2 Gallons
Maximum Current	2 Gallons
Voltage	110 Volts
Noise Level	60 dB

FEATURES

1. **Ultra Quiet** – Only 60 decibels
2. Oil-Free Pump – Cleaner air for better tool operation. Less maintenance and Costs.
3. Two pressure control gauges
4. One – Female industrial “Push to Connect” quick connector
5. Thermal Overload Protector
6. 120 PSI Maximum Pressure
7. 110v / 60 hz – Generator 2500 (running) Watts Min.
8. Low Amp Draw – 8.5 Amps
9. Time to fill tank from empty to full – 50 Seconds
10. Recovery time from 90 PSI to 120 PSI – 14 Seconds
11. Duty Cycle – 70/30*
12. Less heat which dissipates more efficiently
13. 2.0 Gallon Aluminum Air Tank (35 lbs). Only 35 pounds and easy to transport.
14. L (18.7”) x W/D(14.2”) x H (14.75”), 34 lbs
15. 1 Year Limited Warranty
16. Comes complete with Air Filter
17. UL Certified
18. Commercial Use: Refer to State & City Codes

Product Overview:

[California Air Tools 2010A Website.](#)

COMPATIBLE ACCESSORIES

- 16 Piece Air Hose & Air Tool Accessory Kit (CAT-376)
- California Air Tools Hybrider Flex 1/4in 25 Foot Hybrid Air Hose
- 317 Water (moisture) & Oil Separator Air Filter 1/4 NPT
- EZ2321ADS Automatic Drain Valve Short Extension Kit (110v 60 hz)



Part Number	CAT-2010A
UPC	743369720140
Shipping Dimensions	21"L x 17"W x 18"H
Shipping Weight	44 lbs
Shipping Class	85
Ship Type	Parcel
Cage Code	7VRJ0
HTSUS	8414.80.1685
Country of Origin	CHINA