Category: Contractor Grade Air Compressor
UPC: 743369710288




SPECIFICATION SHEET

Model: 10020SPCAD

PRODUCT OVERVIEW

The CALIFORNIA AIR TOOLS 10020SPCAD Ultra Quiet & Oil-Free 10 Gallon Air Compressor in a Sound Proof Cabinet is designed to be one of the quietest 2.0 Hp air compressors in the industry having only 58 decibels of sound. .



FEATURES

- The Powerful 2.0 HP (SP-9421) motor operates at only 1680 RPM creating less noise and less wear.
- The SP Series of Ultra Quiet Air Compressor Motors have been designed to increase duty cycle and allow for longer continuous run times.
- The Oil-Free Dual Piston Pump System is engineered for high performance and durability.





BENEFITS

The CAT-10020SPCAD Air Compressor has a Oil-Free Dual Piston pump designed to have a life cycle before wear of 3000 Plus hours. The Oil-Free pump allows for use in a variety of temperatures (cold starts) and uneven terrains (no oil in the pump).

The Easy Start Valve feature allows for a easier start up using less starting amps. The Easy Start Valve releases a small amount of air from the pump at start up to produce a no-load condition allowing the motor to spin freely. This no-load start up requires less amps for a easier start up in cold temperatures.

The California Air Tools EZ-1 Automatic Drain Valve has been designed to eliminate manually draining your air compressor air tank.

The manually set timer allows you to set the time for both the frequency and duration of the draining process. The large 10 Gallon Steel air tank and Soundproof Cabinet is 146 lbs.

The sound proof cabinet has two latching doors that allows for easy access to the air compressor and components. The two cabinet exhaust fans are used to remove air from the cabinet to reduce heat and provide a cooler working condition for the air compressor. The 4 caster wheels makes moving the air compressor from location to location very easy.

Designed for the person looking for Power, Air Flow, Less Service and Maintenance with at Least 30% Less Noise!

SPECIFICATIONS

Specification	Details
Material	Alloy Steel
Color	White
Weight	146 Pounds
Heigh	31.5 inches
Item Dimensions L x W x H	19.75"L x 19.75"W x 31.5"H
Capacity	10 Gallons
Maximum Current	14 Amps
Voltage	110 Volts
Noise Level	58 dB

FEATURES

1. **Ultra Quiet – Only 58 decibels**
2. Oil-Free Pump – Cleaner air for better tool operation.
3. Less maintenance and Costs.
4. Two pressure control gauges
5. One (1) Push to Connect Industrial quick connector (1/4” NPT)

6. Easy Start Valve – For Less Starting Amperage
7. EZ-1-2321 Auto Drain Valve Factory Installed
8. Condor Pressure Switch
9. Thermal Overload Protector
10. 130 PSI Maximum Pressure
11. 110v / 60 hz
12. Low Amp Draw – 14 Amps
13. Time to fill tank from empty to full – 130 Seconds
14. Recovery time from 100 PSI to 130 PSI – 40 Seconds
15. Duty Cycle – 70/30*
16. Less heat which dissipates more efficiently
17. 10 Gal. Steel Air Tank With Sound Proof Cabinet and Swivel Caster wheels
18. L (19.75″) x W (19.75″) x H (31.5),
19. Weight: 146 lbs
20. 1 Year Limited Warranty
21. Commercial Use: Refer to State & City Codes
22. Non-ASME Air Tank
23. Assembled in USA with global components

Product Overview:

California Air Tools 10020SPCAD Website

COMPATIBLE ACCESSORIES

- 16 Piece Air Hose & Air Tool Accessory Kit (CAT-376)
- California Air Tools Hybrider Flex 1/4in 25 Foot Hybrid Air Hose
- 317 Water (moisture) & Oil Separator Air Filter 1/4 NPT



Part Number	CAT- 10020SPCAD
UPC	743369710288
Shipping Dimensions	30”L x 30"W x 41"H
Shipping Weight	201 lbs
Shipping Class	85
Ship Type	LTL
Cage Code	7VRJ0
HTSUS	8414.80.1685
Country of Origin	USA

CALIFORNIA AIR TOOLS | 8560 Siempre Viva Rd, San Diego, CA 92154, USA | (866) 409-4581 | info@californiaairtools.com