



Category: Air Compressor
UPC: 850004451854

8.0 Gallon
1 HP Motor
120 PSI MAX
2.2 CFM @90PSI
60 Decibels




SPECIFICATION SHEET

Model: 8010AD

PRODUCT OVERVIEW

The California Air Tools 8010AD **Ultra Quiet** 1.0 Hp & Oil-Free 8-Gallon Air Compressor, with Automatic Drain Valve, is designed to be one of the quietest air compressors in the industry having only 60 decibels of sound.



FEATURES

- The powerful 1.0 HP motor operates at only 1680 RPM creating less noise and less wear.
- The Oil-Free Dual Piston Pump System is engineered for high performance and durability.
- The factory installed California Air Tools EZ-1 Automatic Drain Valve has been designed to automatically drain your air compressor air tank.
- This air compressor is ideal for anyone working inside where noise is a major issue.

SPECIFICATIONS AND PERFORMANCE



Weight
37.25 Pounds

Noise Level
60 Decibels

Maximum Pressure
120 PSI

Voltage
110V / 60 Hz

Low Amp Draw
8.5 Amps



ULTRA QUIET & OIL-FREE AIR COMPRESSOR

Powerful
1.0 HP Motor

One-Female Industrial
"Push to Connect"
Quick Connectors

Two Pressure
Control Gauges

8.0 Gal. Aluminum Air
Tank With Wheel Kit

Automatic Drain Valve
(only for the 8010AAD)

Oil-Free Dual
Piston Pump

3000+ Hour Life
Cycle Before Wear

Cleaner Air For
Better Tool
Operation

Less Maintenance
And Costs



BENEFITS

- The CAT-8010AD Air Compressor has a Oil-Free Dual Piston pump designed to have a life cycle before wear of 3000 Plus hours compared to other comparable air compressors with life cycles of 500 hours or less.
- The Oil-Free pump allows for use in a variety of temperatures and uneven terrains.
- The large 8.0 Gallon Steel Air Tank is Lightweight (49 lbs) and the wheel kit makes it very easy to transport.

SPECIFICATIONS

Specification	Details
Material	Aluminum
Color	Silver
Weight	49 Pounds
Height	23 inches
Item Dimensions L x W x H	26"L x 14"W x 23"H
Capacity	8 Gallons
Maximum Current	8.5 Amps
Voltage	110 Volts
Noise Level	60 dB

FEATURES

1. **Ultra Quiet – Only 60 decibels**
2. Oil-Free Pump – Cleaner air for better tool operation and less maintenance costs.
3. Two pressure control gauges
4. One universal 1/4" quick connector
5. Thermal Overload Protector
6. 120 PSI Maximum Pressure
7. 110v / 60 hz (Generator 2500 (running) Watts Min.)
8. Low Amp Draw – 8.5 Amps
9. Time to fill tank from empty to full – 165 Seconds
10. Recovery time from 90 PSI to 120 PSI – 60 Seconds
11. Duty Cycle – 70/30*
12. Less heat which dissipates more efficiently
13. 8.0 Gal. Steel Air Tank With Wheel Kit
14. Only 49 pounds and easy to move around.
15. L (26") x W (14") x H (23")
16. 49.0 lbs
17. UL/CSA Certified
18. 1 Year Limited Warranty
19. Comes complete with Wheel Kit & Air Filter
20. Commercial Use: Refer to State & City Codes

Product Overview:

[California Air Tools 8010AD Website.](#)

COMPATIBLE ACCESSORIES

- 16 Piece Air Hose & Air Tool Accessory Kit (CAT-376)
- California Air Tools Hybrider Flex 1/4in 25 Foot Hybrid Air Hose
- 317 Water (moisture) & Oil Separator Air Filter 1/4 NPT.

60 Decibels

1 HP Oil-Free
Dual-Piston
Long-Life
Motor Pump

Regulated Pressure Gauge

Industrial Female Quick
Connector

Tank Pressure Gauge

Ouput Pressure
Regulator

8 Gallon
Aluminum
Air Tank with
Automatic
Drain



39 lbs 110 Volts 8.5 Amps

Part Number		CAT-8010AD
UPC		850004451854
Shipping Dimensions		26.5"L x 15"W x 23.25"H
Shipping Weight		56 lbs
Shipping Class		85
Ship Type		Parcel
Cage Code		7VRJ0
HTSUS		8414.80.1685
Country of Origin		USA