Category: Contractor Grade Stationary Air Compressor
UPC: 850053943553

60 Gallon
6.5 HP Motor
120 PSI MAX
17.0 CFM @90PSI
85 Decibels
230V 3-PHASE




SPECIFICATION SHEET

Model: 60065C

PRODUCT OVERVIEW

The CALIFORNIA AIR TOOLS 60065C **Ultra Quiet** & Oil-Free Air Compressor is designed to be one of the quietest 6.5 Hp air compressors in the industry having only 85 decibels of sound compared to competitive models.



FEATURES

- The Powerful OLF-3500 6.5Hp motor/pump (208/220v 60hz 3-phase) operates at only 1700 RPM creating less noise and less wear.
- The OLF motor has been designed to increase duty cycle and allow for longer continuous run times.*
- The Oil-Free Dual Piston Pump System is engineered for high performance and durability.





BENEFITS

The Powerful OLF-3500 6.5Hp motor/pump (208/220v 60hz 3-phase) operates at only 1700 RPM creating less noise and less wear.

The OLF motor has been designed to increase duty cycle and allow for longer continuous run times.*

The Oil-Free Dual Piston Pump System is engineered for high performance and durability.

SPECIFICATIONS

Specification	Details
Material	Alloy Steel
Color	Silver
Weight	260 Pounds
Height	60.5 inches
Item Dimensions L x W x H	32.5"L x 28"W x 60.5"H
Capacity	60 Gallons
Maximum Current	15 Amps
Voltage	230 Volts
Noise Level	85 dB
Horsepower	6.5 Hp
CFM 40 PSI	20.0
CFM 90 PSI	17.0

FEATURES

1. **Ultra Quiet** – 85 decibels
2. Oil-Free Pump – Cleaner air for better tool operation.
3. Less maintenance and Costs.
4. One tank pressure gauge
5. 1/2″ NPT female port
6. No output pressure regulator, quick connector or air hose included**
7. Pressure Switch
8. Thermal Overload Protector
9. 120 PSI Maximum Pressure***
10. 208-230 Volt / 60 Hertz / 3-Phase (acceptable voltage range 200VAC to 250VAC)
11. Amp Draw – 15 Amps
12. 20 Amp Breaker suggested
13. Time to fill tank from empty to full – 191 Seconds
14. Recovery time from 92 PSI to 120 PSI – 35 Seconds
15. Less heat which dissipates more efficiently
16. 60 Gallon ASME Certified Steel 155 PSI Air Tank
17. L (32.5″) x W (28″) x H (60.5″)

18. 260 lbs
19. Manual Drain Valve with Strainer cleanout
20. Comes complete with (4) Air Filters
21. Plug Type: Nema L15-20P (connect to L15-20R receptacle)
22. Cord Length: 7ft
23. 70/30 Duty Cycle Rating****
24. Commercial Use: Refer to State & City Codes
25. 1 Year Limited Warranty
26. Assembled in Mexico & USA with Global Components
27. NOTE: Output Air Pressure Regulator is NOT included

Product Overview:

[California Air Tools 60065C Website]

COMPATIBLE ACCESSORIES

- 16 Piece Air Hose & Air Tool Accessory Kit (CAT-376)
- California Air Tools Hybrider Flex 1/4in 25 Foot Hybrid Air Hose
- 317 Water (moisture) & Oil Separator Air Filter 1/4″ NPT



Part Number	CAT-60065C
UPC	850053943553
Shipping Dimensions	48”L x 40"W x 77"H
Shipping Weight	321 lbs
Shipping Class	85
Ship Type	LTL
Cage Code	7VRJ0
HTSUS	8414.80.1685
Country of Origin	MEXICO

CALIFORNIA AIR TOOLS | 8560 Siempre Viva Rd, San Diego, CA 92154, USA | (866) 409-4581 | info@californiaairtools.com